

DOORS | SLIDING DOORS | PERFORMANCE DOORS







hallmark  
DOORS



capturing  
nature's elegance

# the hallmark group















# creating lasting impressions



Offering a highly dedicated and innovative approach to the design and manufacture of interior doors and systems, the Hallmark Group is a market leader in their field. With their wide range of products to be found in homes and commercial premises throughout New Zealand, Hallmark Group has a history of success and a forward thinking, architectural approach to being the best in their industry.

## CONTENTS

- 2 **Exacting Craftsmanship**
- 4 **Hallmark Classic Collection**  
Interior & Exterior Doors 
- 5 **Hallmark Classic Collection**  
Vision Panel Options 
- 6 **Hallmark Vogue Collection**  
Interior & Exterior Doors 
- 7 **Hallmark Vogue Collection**  
Vision Panel Options 
- 8 **Hallmark Timber Veneer Doors**  
New Zealand Veneers 
- 9 **Hallmark Timber Veneer Doors**  
Exotic Veneers 
- 10 **Hallmark Architectural Collection** 
- 11 **Hallmark Milano Collection** 
- 12 **Hallmark Cavity Sliders** 
- 14 **Hallmark Performance Doors** 
- 16 **Hallmark Door Warranty**

# exacting craftsmanship


**HALLMARK DOORS, one of New Zealand's leading brands  
of quality craftsman-made doors.**



This complimentary catalogue offers you just a sample of what we have available in our extensive range. There are many door styles not shown here, as we produce custom made doors on request to suit individual requirements.

Hallmark's paint quality range is one of the largest available in New Zealand. The range is versatile and we can often match existing designs or accommodate any ideas you may have.

Veneer doors capture nature's beauty, and because each one of our doors is handcrafted, each is as individual as you and your home. Our skilled craftsmen select the best veneers to create doors that reflect the unique characteristics of the chosen timber and the timeless elegance that only top craftsmanship can capture and bring to the fore.



# timeless natural elegance



Hallmark's native and exotic veneer ranges are made from New Zealand's finest timbers harvested only from managed forests, and from exotic timbers imported from reputable suppliers. In the interests of sustainability, the Hallmark group is dedicated to the use of veneers from sustainably managed forests, to help preserve our timber resources and guarantee the renewal of that resource now and for the future.

Beneath the beautiful veneer finish, each door has a unique frame construction that provides a superior structural performance and minimises bowing problems to help keep your door functioning properly and looking superb. When choosing Hallmark, you are choosing from the finest range of timber-engineered doors available in New Zealand.

Each door is individual and no two are identical. With a Hallmark door, you are adding a touch of timeless natural elegance unique to your home.

# hallmark classic collection


## INTERIOR & EXTERIOR DOORS

### V-GROOVE DOORS

A range of high quality interior and exterior v-groove doors, this collection utilises Hallmark's unique framing system and a 4.75mm thick premium skin (MDF for interior doors, tempered hardboard for exterior doors). The Hallmark Classic Collection is available ex-stock as an interior door range option up to 2400mm high (Hollowcore only). On the exterior door range, the tempered hardboard skin provides the ultimate in weather protection. The Classic exterior doors are suitable for sheltered entranceways (minimum 1200mm eave covering), and are the perfect way to establish tone and enhance the street appeal of your home.



All doors are available in Hollowcore, Solidcore and Polystyrene Core. All doors are available as an extra-overheight option (2400mm-2700mm MDF only). Standard lead-time applies for oversize options and the manufacture of Hallmark Classic Collection exterior doors.



Merivale



Northwood




Coromandel



Parnell



Fendalton



Cashmere



Milford



Richmond



Orewa




Tasman

ALL DESIGNS ARE V-GROOVE. BEVEL GROOVE, U-GROOVE & SQUARE GROOVE OPTIONS ARE AVAILABLE ON REQUEST.

6 x 3mm V-GROOVE DETAIL






## VISION PANEL OPTIONS




An extension to the v-groove doors, this Hallmark Classic Collection of vision panel doors come with premium 4.75mm skins for greater stability, impact resistance and a high quality paint finish. Special designs are available upon request.

PLEASE NOTE: GLASS IS NOT INCLUDED.  
ALL PANELS ARE BEADED, PLEASE  
SELECT YOUR CHOICE OF BEADING:

FLUSH



REBATED



Glazing Option 1



Glazing Option 2



Glazing Option 3



Glazing Option 4



Glazing Option 5



Glazing Option 6



Glazing Option 7



Glazing Option 8



Glazing Option 9  
(Parnell)



Glazing Option 10  
(Parnell)



Glazing Option 11  
(Fendalton)



Glazing Option 12  
(Fendalton)

# hallmark vogue collection

## INTERIOR & EXTERIOR DOORS

### ROUTERED PANEL DOORS

Featuring a stylish rout design with several popular patterns to select from, the Vogue routered panel collection completes the look in today's modern home. All designs feature Hallmarks 25mm wide square corner rout and are available with MDF for interior and tempered hardboard for exterior doors.

All doors come with premium 4.75mm skins for greater stability, impact resistance and a high quality paint finish. All doors up to 910mm wide are pre-primed on all 6 sides.



- Doors available in hollow core, polystyrene core and solid core
- Doors available up to 2400x1210mm
- Doors finish 38mm thick as standard. Other thickness options available
- Steel inserts for greater stability are available (recommended on all cavity slider doors)



VRP1



VRP2



VRP3



VRP4




VRP5




VRP6


#### ROUTERED GROOVE DETAIL




4.75MM MDF SKIN  
(FOR INTERIOR USE)




4.75MM TEMPERED  
HARDBOARD SKIN  
(FOR EXTERIOR USE)







## VISION PANEL OPTIONS



If it's a stylish entrance you're after, the NZ made Vogue vision panel collection has your options covered. This large and high quality selection features many different architectural designs to give your home its own signature.

Should you wish to continue your look beyond the entrance, the Vogue Vision Panel Collection is manufactured with both MDF and tempered hardboard for interior and exterior applications.

All doors come with premium 4.75mm skins for greater stability, impact resistance and a high quality paint finish. All doors up to 910 wide are pre-primed all 6 sides (interior only).

ALL DOORS COME AS SOLID CORE. DOORS AVAILABLE UP TO 2400x1210MM. DOORS FINISH AT 38MM THICK AS STANDARD. STEEL INSERT OPTIONS AVAILABLE.



VVPA



VVPB



VVPC



VVPD



VVPE



VVPF\*



VVPG



VVPH



VVPI



VVPJ



VVPK




VVPL

# hallmark timber veneer doors

## INTERIOR DOORS

### NEW ZEALAND NATIVE DOORS

As the leading veneer door manufacturer in New Zealand, Hallmark, with our vast experience and our team of highly skilled craftsmen, has the knowledge and ability to help you bring your home to life by creating complementary and feature doors to enhance your décor. With a Hallmark veneer door, every leaf of the veneer used is hand selected by our craftsmen to ensure that your exact requirements are met.



We offer colour matched options on request, and because we have a vested interest in preserving New Zealand's unique forests, we use only sustainable timbers from managed forests in the construction of our doors. All processing is done in our factory to ensure the highest quality and minimal wastage.



Heart Rimu



Colour Rimu



Economy Rimu



Pale Rimu



NZ Tawa



Southland Beech




Colour Beech



Totara

ALL DOORS ARE AVAILABLE IN HOLLOWCORE, SOLIDCORE, POLYSTYRENE CORE. ALL DOORS ARE AVAILABLE UP TO 2700MM HIGH. OTHER VENEER OPTIONS ARE AVAILABLE ON REQUEST.



## EXOTIC SPECIES DOORS



In the interests of sustainability and quality, we use only reputable suppliers to select the finest available grain patterns and colour tonings to use in the creation of our doors. All Hallmark exotic veneers are imported directly from our suppliers around the world, and then carefully hand-selected when they arrive at our factory. This allows us to keep our quality level at its highest standard and control colour variations in the timber as much as possible. Please note that images are indicative only and veneers can differ from those shown here. All doors are available in hollowcore, solidcore, polystyrene core. All doors are available up to 2700mm high. Other timber options such as Hoop Pine, Western Red Cedar, and Yaka are available on request.



Macrocarpa



Fijian Kauri



Radiata



White Oak



European Beech



Tasmanian Oak



Sapelle Crown



Sapelle Quarter



Sapelle Rotary



Jarrah



Anegre Quarter



American Maple


# hallmark architectural collection

## INTERIOR DOORS

### SPECIALTY VENEER DOORS

When it comes to designing and creating doors to meet the demanding specifications required by architects and interior designers, Hallmark is a market leader, with the expertise to create virtually any door to match any design concept. Whether the design is for a residential or commercial project, Hallmark can offer many eye-catching designs to meet and fully complement the designer's vision.

As many architectural specifications call for oversize doors, Hallmark has perfected the art of manufacturing these doors, using techniques to ensure maximum stability in use.



All doors over 2400mm high have steel inserts and wide framing on the two long sides, while all doors over 2400mm high and 1000mm wide have steel inserts and wide framing on all four sides. Steel inserts can be added to any size door upon request.



Cherry / Maple



Heart Rimu / Oak



Jarrah /  
Tasmanian Oak



Tasmanian Oak /  
Blackwood



Tasmanian Oak /  
Blackwood



Heart Rimu /  
Oak



Tasmanian Oak /  
Jarrah



Yaka / Tawa



Tasmanian Oak /  
Jarrah



Myrtle /  
Tasmanian Oak

ALL DOORS ARE AVAILABLE IN HOLLOWCORE, SOLIDCORE, POLYSTYRENE CORE. ALL DOORS ARE AVAILABLE UP TO 2700MM HIGH. PLEASE NOTE TONING WILL VARY FROM DOOR TO DOOR.

EXTERIOR OPTIONS AVAILABLE.

# hallmark milano collection

## EXTERIOR DOORS

### SPECIALTY VENEER DOORS



For a total solid look door but with the stability benefits that an engineered design brings, look no further than the Hallmark Milano Collection. These doors are constructed using exterior rated materials and are suitable for sheltered exterior applications.

All designs have natural veneer faces which are bonded to exterior plywood using marine grade glues. For the grooved designs, solid matching timber inserts are placed at corresponding centres to ensure there is no visible plywood. Clashing strips are fully concealed on the door face to complete the solid look. All exterior doors in the Milano Collection come with steel inserts on two sides to give you the most stable sheltered exterior door available.

All designs are available for interior applications.



**MLN1  
TASI OAK**



**MLN2  
NZ RIMU**



**MLN3  
BLACKWOOD**



**MLN4  
AM. WHITE OAK**




**MLN5  
JARRAH  
(vertical grain  
flush panel)**




**MLN6  
TASI OAK  
(horizontal grain  
flush panel)**


#### 30 x 30mm STEEL INSERT DETAIL



#### 10 x 3mm ROUT DETAIL



#### 6 x 3mm V-GROOVE DETAIL



ALL DESIGNS AVAILABLE IN ANY OF THE FOLLOWING SPECIES



**American  
White Oak**



**Rimu**



**Blackwood**



**Cedar**



**Jarrah**



**Tasmanian  
Oak**

ALL DOORS AVAILABLE  
UP TO 2400x1200MM

# hallmark cavity sliders

## INTERIOR DOORS

### RESIDENTIAL / COMMERCIAL / HOSPITAL & REST HOME

#### What are Hallmark Cavities?

Hallmark cavity systems are all about creating more useable space. The term 'cavity slider' refers to a pocket that fits within the wall framing and allows a door to slide back inside the wall. This is an excellent option where space is at a premium, saving almost 1m<sup>2</sup> of area needed for an average swinging door.


Featuring specially engineered aluminium extrusions for extra rigidity and straightness, solid timber rails, special extrusions and stainless steel screws for permanent and strong assembly.



#### Ultimate Cavity Door

The ultimate door to fit inside your cavity pocket. Offering maximum clearance and stability to give you the most hassle free cavity slider package available on the market. Features include;

- Premium 4.75mm skins
- 34.5mm overall thickness for additional clearance
- Polystyrene core
- 100mm pine rails and stiles for strength and trimming
- Steel inserts two sides



- Available up to 2700x1210mm
- Preprimed all 6 faces (up to 910mm wide)
- V-groove, routed panel and vision panel options are available

#### Permaclean Track

Modern European sliding door track technology

- Tapered bearing faces means there is nowhere for dust to collect (No need for dust gutters)
- No contamination so your doors will always roll smoothly and quietly
- Sturdy one piece extruded aluminium head track. Specially engineered for strength, straightness and self alignment



#### Precision Hangers

Eight wheels per door. Two four wheel hangers per door leaf ensures your doors will be easy to roll

- Large 27mm diameter wheels roll easily and spread the load
- German designed for consistent trouble-free use, won't twist or derail
- Self centering on double doors
- Easy height adjustment (no special tools required)




#### Other Options

- Twin Stack
- 140mm Stud
- Aluminium Frames
- Overheight
- Acoustic Cavities
- Floor to Ceiling
- Corner Cavity
- Self Closing
- Synchronised Doubles
- Tri Stack
- Glass Doors
- Special Timbers



## OVERSIZE CAVITIES



The Hallmark Cavity Slider is specifically designed to accommodate all door sizes from a standard 1980mm high door to oversize doors up to 3600mm high. Critical design features have been included to maintain the integrity of the wall on overheight and overwidth options.

For all cavity sliders Hallmark recommends their Ultimate Cavity Door. This door, as shown opposite, is designed to resist warping and has a strong internal 25mm steel box section stiffener. Sliding doors up to 2700x1210mm are 34.5mm thick and have 4.75mm MDF skins. Doors greater than this size are 37mm thick with 6mm thick MDF skins and internal steel stiffeners four sides.



### Flush Pull Kits

Hallmark can supply a range of flush pulls for cavity sliders either in square or oval style – oval style shown. Oval flush pulls are available 120x40mm and square 102x51mm. Edge pulls are also available 100x20mm. Finishes are stainless steel or powder coat.



### Sliding Door Euro Lock Kits

Sliding Door Euro Lock Kits are available in satin stainless steel. These kits comprise flush pulls with the escutcheon integrated into one unit, edge pull and a 50mm backset lock. Kits are available with either oval or square styled flush pulls. Door thickness minimum for oval flush pulls is 36mm and 34mm for square. Please note this when ordering.

# hallmark performance doors

HOTEL / COMMERCIAL / EDUCATION / HOSPITAL & REST HOME

## Smoke & Fire Rated Door Sets

Hallmark manufactures an extensive range of smoke and fire rated door sets. With over 500 approvals to strict Australian and New Zealand standards, Hallmark rated performance door sets are fast becoming the preferred choice. From applications requiring 30 minute doors (HFD30), through to 240 minute doors (HFD240), Hallmark fire doors with their highly specialised non-combustible core, give you assurance and peace of mind.



### Frame Options

- PQ FJ pine timber frame 30mm thick (up to FRR - / 30 / 30)
- PQ hardwood timber frame 30mm thick (up to FRR - / 60 / 30)
- Steel frame 38mm thick - (up to FRR - / 240 / 30)
- All timber frames available as architrave or grooved for gib
- Steel frames available as one or two part, powder coated, anodised or stainless finish

### VP Options

- Timber or aluminium beads
- Georgian wire glass up to 650 x 600mm
- Robax glass up to 650 x 600mm
- Pyrobel 16mm up to 800 x 500mm (fully insulated to 30mins)



### Acoustic Rated Door Sets


Hallmark offer a range of acoustic door sets ranging from STC 30 up to STC 48 for interconnecting hotel doors. Ratings are subject to the type of wall and accuracy of installation. For fire acoustic doors, the fire approval limitations on design and hardware apply.



## DOOR & HARDWARE OPTIONS



Hallmark fire doors can be supplied in a huge range of approved options, including: door types, vision panels, glazing, facings, kick plates and hardware. The list is endless. Call our engineers to get it right first time. Hallmark also manufactures other speciality doors for specific applications such as doors to meet special sound (STC) ratings, sliding doors, X-Ray room doors, and speciality doors for hygienic applications. All performance doors are supplied prehung as a door set comprising the frame, hinges, seals and vision panels all factory fitted. Regardless of your application, Hallmark can supply approved rated doors to rigid specifications and quality standards.



### Door Closers

Fire doors require an approved self closing device i.e. a door closer. Door closers must be subject to a fire test and approved. Hallmark can supply and factory prefit a wide selection of door closers, if required.



### Mortise Locks

Mortise locks are the most common door lock fitted to fire doors. Hallmark has all of the approved major brands and types available. In limited applications cylindrical locks can also be fitted. If in doubt or you need assistance to select the right hardware, contact our engineers.




### Furniture & Accessories

A wide range of furniture and speciality hardware is available – electronic locks, electric strikes, panic exit devices, eye viewer's, double action pivots, smoke seals, drop seals etc. Hallmark can supply and factory prefit all hardware saving you time and money on site.

# hallmark door warranty

All Hallmark doors are covered by the Hallmark Doors Warranty. Each Hallmark door carries a label on the door edge stating the main conditions of the warranty. This label can only be removed by the painter otherwise guarantee is void. The label addresses items relating to storage and handling, installation and finishing. **It is important you read this label.** Hallmark doors are manufactured to strict quality standards and hopefully you never need to make a warranty claim. However all doors are made from timber products and thus are subject to movement. Our warranty covers door movement beyond specified limits.



## hallmark exterior doors

### Warranty

Hallmark exterior doors carry a five year warranty against defects in workmanship & materials, specifically delamination of the skin or clashings from the core and excessive distortion from tolerance. All technical information, storage and handling specifications are as per the Hallmark interior doors warranty. Exterior doors installed in a situation with high temperature fluctuations such as spa or sauna rooms carry no warranty against warp.

### Options

Tempered hardboard doors are available at 40mm thick with two core options, these being Polystyrene or Solid (particle board) core. Exterior doors are also available clashed on two edges or four edges for better protection.

### Uses

- Sheltered exterior with adequate eaves covering (minimum 1200mm).
- General interior

### Limitations

- Unprotected exterior use
- Saunas, steam rooms, smoke houses etc.
- Fire doors

## Finishing

Exterior finishes must be used on all exterior doors. All doors must be fully painted with a full coating system prior to site installation. Exterior doors must not be painted in dark colours, particularly when the door is exposed to direct sunlight.

## hallmark interior doors


### Warranty

Hallmark doors are manufactured with the highest craftsmanship and carry a five-year warranty provided all storage, handling, finishing and hanging instructions are followed.

Hallmark doors are warranted against defects in workmanship and materials, specifically delamination of veneer, or clashings, separation of the skin from the core, veneer splits and excessive distorting from tolerance. No doors over 2400x1200mm are covered under guarantee. The manufacturer will not be held responsible for additional charges of hanging, painting or other charges arising from the replacement of doors.

## Storage and Handling

Inspect all doors upon arrival for freight damage and visible defects. The manufacturer must be notified within four days if damage has occurred.



Any claims outside of this time frame cannot be recognised.

Show through of any components on a 3mm skin door is not considered a defect.

Warp exceeding 5mm shall be considered a defect on doors up to 2400x910mm.

Doors exceeding this size carry no guarantee against warp. The manufacturer will accept no responsibility for defective doors when the moisture content of the timber exceeds 18%.

Doors must be stored flat in a clean, dry area away from direct sunlight. A flat MDF cover sheet must be placed on the top door at all times should it be exposed.

Variations in colour are not considered a defect.

### **Finishing**

When finishing, ensure the door is dry and free from dust and grime. The two faces and all four edges of the door must be sealed and coated within two days of arriving on site. Linseed oil or Linseed oil based products are not to be used on any of Hallmark's interior doors. Staining is at your own risk. Hallmark Doors do not accept any liability for the finished quality of a stained door. Coating 'slump' on the veneer joins is normal and will not be considered a defect. The manufacturer is not liable for the paint finish. Any fibre raise should be sanded flat before coats are applied. Fibre raise is a natural reaction and is not considered a defect.

### **Installation**

All interior doors must be hung in dry buildings only. Doors hung in situations with excessive air movement (i.e. buildings not at 'lock up' stage) void the warranty.

Interior doors must not be hung within the direct air movement of an air temperature controller.



All interior doors delivered to site must be sealed within one week on all six faces. This includes lock holes and check outs.

All doors must have at least three hinges. Doors over 2200mm high must have four hinges.

### **Care and Maintenance**

Hallmark interior doors are designed for interior use only and should never be used in a situation subject to exterior conditions, high moisture or high temperature fluctuations such as spa or sauna rooms.

Doors installed in bathrooms or laundries that become scratched or damaged are to have the coating repaired immediately. Any repair work must be carried out under the instructions of the coating manufacturer.

### **Technical Information**

Tolerances:

+/- 2.0 mm for width, height and thickness

+/- 3.0 mm for squareness across the diagonal of the door

+/- 5.0 mm for twisting or bowing

### **Conditions and Limitations**

The warranty does not apply if:

Damage is caused by normal wear and tear or by circumstances outside of Hallmark Doors' control.

Installation, storage, handling, maintenance, uses or repairs are not carried out under the manufacturer's instructions.

### **Note**

Information and specifications may change without notice.

Timber colours and grain patterns may vary from those illustrated in our brochure.



**hallmark**  
GROUP



**Rangiora (Head Office)**

**P:** +64 3 313 4754  
0800 TIMBER (NZ only)  
**F:** +64 3 310 7160

355 Flaxton Rd, PO Box 413  
Rangiora 7440, New Zealand

**Hamilton**

**P:** +64 7 847 8323  
**F:** +64 7 847 3781

29 Bandon Street, PO Box 5159  
Hamilton 3242, New Zealand

**E:** [sales@hallmarkgroup.co.nz](mailto:sales@hallmarkgroup.co.nz)  
**W:** [www.hallmarkgroup.co.nz](http://www.hallmarkgroup.co.nz)